

GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

Public Services - Irrigation & CAD Department – Irregularities in works relating to execution of Gangavaram major distributory at KM 299.26 of Thugabhadra project Low level canal(TBP-LLC) - Disciplinary proceedings initiated against Sri M. Madhusudan Rao, Head Draughtsman, Irrigation Circle, Kurnool now Asst. Engineer, K.C. Canal Section, Kurnool - Enquiry completed – Further action dropped - orders - Issued.

IRRIGATION & C.A.D. (Ser.VII.(V&E)A.1) DEPARTMENT

G.O.Rt.No. 568

Dated: 24-05-2010

Read the following:

- Ref: 1. Director General (Vig. & Enft.) & E.O. Prl. Secy. to Govt.,
G.A.D. Report No.48(63/V&E./E.1/2005), DT. 12/19.04.2005
2. G.O.Rt.No.956 I&CAD(Ser.VII(V&E-1)Dept, Dt. 26-06-2006
3. WSSD of Sri M. Madhusudan Rao, Head DM Dt. 27-07-2006.
4. G.O.Rt.No.1257 I&CAD(Ser.VII(V&E-1)Dept, Dt. 11-09-2006
5. G.O.Rt.No.1645 I&CAD(Ser.VII(V&E-1)Dept, Dt. 13-12-2006
6. From Dr. Prasanta Mahapatra, IAS COI, GAD D.O.Lr.No.78/
COI-PM/2007, Dt.26-8-2008.

ORDER:

In the reference 1st read above, it has been brought to the notice of Government that Sri M. Madhusudan Rao, during his incumbency as Head Draughtsman, Irrigation Circle, Kurnool has committed certain Irregularities in preparation of agreement of the works relating to execution of Gangavaram major distributory at KM 299.26 of Thugabhadra project Low level canal(TBP-LLC) and recommended for initiation of suitable departmental action against him

2. Govt., after examination of the matter, have decided to initiate departmental action against Sri M. Madhusudan Rao, the then Head Draughtsman, Irrigation Circle, Kurnool for the irregularities committed by him. Accordingly, in the reference 2nd, read above, article of charge has been framed against him under Rule 20 of A.P.C S, (CC&A) Rule 1991 with a direction to submit his WSSD.

3. In the reference 3rd read above, Sri M. Madhusudan Rao, the then Head Draughtsman, Irrigation Circle, Kurnool has submitted his WSSD. After examination of the WSSD of the individual it has been decided to entrust the case to COI for conducting enquiry into the charge as the WSSD of the individual found not satisfactory.

4. Accordingly in the reference 5th read above, Dr. Prashant Mahapatra, IAS, Member, Commissioner of Inquires, has been appointed as Inquiring Authority to conduct the enquiry into the charges framed against the individual and in the reference 6th read above, the Inquiring Authority has furnished the enquiry report.

::2::

5. Govt. after careful examination of the enquiry report, have decided to drop further action against Sri M. Madhusudan Rao, the then Head Draughtsman, Irrigation Circle, Kurnool in respect of the departmental case relating to irregularities in preparation of agreement of the works relating to execution of Gangavaram major distributory at KM 299.26 of Thugabhadra project Low level canal(TBP-LLC).

6. Accordingly further action is hereby dropped against Sri M. Madhusudan Rao, the then Head Draughtsman, Irrigation Circle, Kurnool in respect of the departmental case relating to irregularities in preparation of agreement of the works relating to execution of Gangavaram major distributory at KM 299.26 of Thugabhadra project Low level canal(TBP-LLC).

7. The Engineer-in-Chief(AW) , I&CAD Department, Hyderabad shall take necessary further action.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

**S.P. TUCKER
PRINCIPAL SECRETARY TO GOVERNMENT**

To

Sri M. Madhusudan Rao, the then Head Draughtsman, Irrigation Circle, Kurnool now Asst. Engineer, K.C. Canal Section, Kurnool (**Through**) Engineer-in-Chief(AW) I&CAD Department, Hyderabad.

The Engineer-in-Chief(AW) , I&CAD Department, Hyderabad.

Copy to:

The Accountant General, AP., Hyderabad.

The General Administrative (V&E) Department.

The Secretary to VC, A.P., VC, Hyderabad.

SF/SC

//FORWARDED : BY ORDER//

SECTION OFFICER